

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3400	- Buoy 79					Green can.	
	*						27/00
7855	- Lighted Buoy 5		FI G 2.5s		3	Green.	
	*		*		*	*	27/00
7865	- Lighted Buoy 8		FI R 2.5		3	Red.	
	*		*		*	*	27/00
Amity Channel							
<i>Buoys in channel are maintained from May 1 to Nov. 1 unless otherwise noted.</i>							
33875	- Buoy 51	40 37 36 N 73 28 54 W				Green can.	Private aid.
	*						27/00
South Entrance							
39260	Sister Shoal Buoy 1 On east side of 3-foot shoal.					Green can.	
	*						27/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Christina River							
<i>Buoys located 50 feet outside of channel limit.</i>							
3000	- SOUTH JETTY LIGHT 1	39 42 54 N 75 30 48 W	FI G 2.5s	36	5	SG on white skeleton tower, small white house.	
						*	* 27/00
7050	- Lighted Buoy 4 75 feet outside channel limit.		FI R 4s		4	Red.	RACON: B(-...)
							* 27/00
9750	- Channel Daybeacon 4 120 feet outside channel limit.					TR on pile.	
	*						27/00
9755	- CHANNEL LIGHT 5 120 feet outside channel limit.		FI G 4s	17	4	SG on dolphin.	
	*						27/00
10145	- LIGHT 6	36 54 36 N 76 05 30 W	FI R 2.5s	15	4	TR on pile.	
	*	*	*		*		27/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10380 47500	COAST GUARD STATION BREAKWATER LIGHT	26 05 24 N 80 06 48 W	F R	9	3	On breakwater.	
			*				27/00
32680	Johnson Reef Buoy JC	18 21 30 N 64 46 24 W				Yellow can.	Private aid.
	*					*	* 27/00
47500 10380	COAST GUARD STATION BREAKWATER LIGHT	26 05 24 N 80 06 48 W	F R	9	3	On breakwater.	
			*				27/00
57275.5	- Daybeacon 16					TR-TY on pile.	
						*	27/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2755	- Daybeacon 7	29 42 42 N 85 00 48 W				SG on pile.	NW also on pile worded CAUTION MANATEE.
		*					* 27/00
2800	- East End Daybeacon 17	29 42 48 N 84 59 48 W				SG on pile.	NW also on pile worded CAUTION MANATEE
		*					* 27/00
4060	- Lighted Buoy 14	30 19 54 N 87 18 18 W	F I R 2.5s		4	Red.	
		*					27/00
28395 40785	- RANGE B FRONT LIGHT	26 00 48 N 97 15 42 W	Q R	25		KRW-I on skeleton tower on piles.	Light visible all around; higher intensity on range line.
		*					27/00
35090	- RANGE A FRONT LIGHT	29 10 24 N 95 06 42 W	Q W	17		KRW-I on pile.	For eastbound traffic. Visible all around; higher intensity on rangeline.
		*					27/00
Matagorda Bay - Alternate Route							
35596	- LIGHT 2	28 32 42 N 96 13 30 W	F I R 4s	17	4	TR-TY on pile.	Ra ref.
							* 27/00
35596.2	- LIGHT 4		F I R 6s	17	4	TR-TY on pile.	Ra ref.
							* 27/00
35596.4	- LIGHT 6	28 30 06 N 96 18 12 W	Q R	17	4	TR-TY on pile.	Ra ref.
							* 27/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35596.6	- LIGHT 8		FI R 4s	17	4	TR-TY on pile.	Ra ref.
							* 27/00
35596.8	- LIGHT 10		FI R 2.5s	17	4	TR-TY on pile.	Ra ref.
							* 27/00
36690	- Daybeacon 4 150 feet outside channel limit.	28 11 24 N 96 50 36 W				TR-TY on pile.	Ra ref.
		*					27/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1858.5	- Coronado Bay Bridge Lighted Mooring Buoy A	32 41 18 N 117 09 24 W	FI W 3.6s			White can buoy with blue band.	Private aid.
							27/00
*1858.6	- Coronado Bay Bridge Lighted Mooring Buoy B	32 41 24 N 117 09 24 W	FI W 3.6s			White can buoy with blue band.	Private aid.
							27/00
*1858.7	- Coronado Bay Bridge Lighted Mooring Buoy C	32 41 18 N 117 09 24 W	FI W 3.6s			White can buoy with blue band.	Private aid.
							27/00
*1858.8	- Coronado Bay Bridge Lighted Mooring Buoy D	32 41 24 N 117 09 24 W	FI W 3.6s			White can buoy with blue band.	Private aid.
							27/00
*2844.5	-Lighted Mooring Buoy	33 44 12 N 118 07 06 W	FI W 3s			White spherical buoy with blue band.	Private aid.
							27/00
*2846	- East Breakwater Lighted Mooring Buoy A	33 43 36 N 118 08 48 W	FI W 3s			White spherical buoy with blue band.	Private aid.
							27/00
*2847	- East Breakwater Lighted Mooring Buoy B	33 43 36 N 118 08 06 W	FI W 3s			White spherical buoy with blue band.	Private aid.
							27/00
*2848	- Lighted Mooring buoy	33 43 42 N 118 08 06 W	FI W 4s			White spherical buoy with blue band.	Private aid.
							27/00
*3018	- Mid Breakwater Lighted Mooring Buoy	33 43 30 N 118 12 00 W	FI W 4s			White spherical buoy with blue band.	Private aid.
							27/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3023.1	- Lighted Mooring Buoy	33 44 24 N 118 11 06 W	FI W 4s			White spherical buoy with blue band.	Private aid. 27/00
*3296	- Lighted Mooring Buoy	33 42 36 N 118 16 36 W	FI W 4s			White spherical buoy with blue band.	Private aid. 27/00
8665	- Buoy 5	42 25 30 N 124 25 24 W				Green can.	Maintained from May 15 to Oct. 10. 27/00
		*					
9325	- LIGHT 20	43 44 54 N 124 08 24 W	FI R 6s	15	4	TR on pile.	
	*		*	*	*		27/00
17770	SISTERS ROCK LIGHT	47 51 30 N 122 38 30 W	FI R 4s	15	5	TR on wooden crib.	
	*						27/00
*Add Heading: *Pearl Harbor North Channel							
29480	- Lighted Buoy 1	21 22 24 N 157 56 42 W	FI G 4s		4	Green.	
	*		*		*	*	27/00
29485	- LIGHT 2		FI R 2.5s	15	4	TR on multi-pile structure.	
	*		*	*		*	27/00
29490	- LIGHT 4	21 22 24 N 157 57 18 W	FI R 4s	15	4	TR on multi-pile structure.	
	*		*	*		*	27/00
29495	- Lighted Buoy 6	21 22 24 N 157 57 18 W	FI R 6s		4	Red.	
	*	*	*	*		*	27/00
29500	- Lighted Buoy 8		FI R 2.5s		4	Red.	
	*		*	*		*	27/00
29505	- Buoy 9	21 22 24 N 157 56 42 W				Green can.	
	*	*	*		*	*	27/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3492	Willis Crib Isolated Danger Buoy DW	42 10 21 N 80 00 54 W				Black with red band.	
		*					27/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8570	- Lighted Buoy 30		FI R 4s		4	Red.	Replaced by nun from Dec. 21 to Mar. 28.
			*				27/00
10740	- Lighted Buoy 28	43 38 47 N 83 50 58 W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 14 to Apr. 21.
		*					27/00
11605	- ENTRANCE LIGHT 11	45 20 24 N 83 29 11 W	FI G 4s	26 8		SG on post.	Private aid.
							27/00
13290	Hardwood Point Junction Buoy HP	46 19 19 N 84 08 29 W				Red nun with green band.	
	*	*				*	27/00
13305	- Buoy 48						Remove from list.
							*
							27/00
*14780.1	- Buoy 3A	46 58 47 N 88 26 06 W				Green can.	Maintained from May 14 to Nov. 14.
							27/00
17925	- South Pierhead Light	45 19 13 N 85 15 53 W	FI R 4s	41 12	10	On white square tower.	HORN: 1 blast ev 30s (3s bl). Operates from May 1 to Oct. 20.
		*					27/00
	*Delete Heading: *Chicago River (North Branch)						
20047	Showboat Sari-II Wreck Daybeacon						Remove from list.
							*
							27/00
	Port Washington						
20770	- BREAKWATER LIGHT	43 23 10 N 87 51 35 W	FI R 6s	78 24	7	On square tower.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates from Apr. to Nov.
						*	27/00
	MANITOWOC AND SHEBOYGAN (Chart 14922)						
	Sheboygan						
20820	- Breakwater Light	43 45 00 N 87 41 30 W	FI W 4s	55 17	9	On cylindrical tower. 50	HORN: 1 blast ev 30s (3s bl). Operates continuously from Apr. to Nov.
							*
							27/00
21345	Plum Island Lighted Buoy 1 Marks northeast side of shoal.	45 19 17 N 86 56 45 W	FI G 2.5s		5	Green.	Replaced by can from Nov. 21 to Apr. 21.
		*					27/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.